



# Li Pigments Master Safety Data Sheet: Loaded® Series

## SECTIONS 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE

**Product Name:** Loaded Line  
**Company Code:** EC-LL Master  
**Other Means of Identification:** Suspension of purified insoluble colorants in nontoxic liquid matrix.  
**Recommended Use of Mixture:** Liquid colorant intended for use in permanent cosmetics by a trained professional.  
**Supplier Details:** **Li Pigments**  
 27 Honeck St, Englewood, NJ 07631, USA  
 www.LiPigments.com  
**Emergency Phone Number:** **CHEMTREC**  
 US & Canada: 1-(800)-535-5053  
 International: 1-(353)-323-3500  
 www.chemtrec.com

## SECTIONS 2: HAZARD IDENTIFICATION

**Classification of Mixture:** Not a hazardous substance or mixture  
**GHS Label Elements:** Not a hazardous substance or mixture  
**Other Hazards Not Otherwise Classified (HNOC) or Covered by GHS:** None

Note: When information for the mixture is not available data is made available for the individual components. Data given for components is 100% concentration of that component.

## SECTIONS 3: COMPOSITION

INGREDIENT	PERCENT %	EINECS No.	CAS No.	GHS HAZARD
Water	Q.S.	215-185-5	7732-18-5	Not Classified
Ethyl Alcohol; Ethanol	< 30	200-578-6	64-17-5	H225
Glycerin; Glycerol	< 40	200-289-5	56-81-5	Not Classified
Glyceryl Stearate	< 1	250-705-4	31566-31-1	Not Classified
Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer	< 2	618-363-4	9003-39-8	Not Classified
Hamamelis Water	< 1	283-637-9	84696-19-5	Not Classified
Propanediol	< 2	207-997-3	504-63-2	Not Classified
Soy Lecithin	< 1	232-307-2	8002-43-5	Not Classified
Colorants*	< 20	-	-	Not Classified

\*Colorants may be any of the following insoluble coloring agents:

INGREDIENT	C.I. NUMBER	EINECS No.	CAS No.	GHS HAZARD
Pigment Black 2	77266	215-609-9/ 231-153-3	1333-86-4/ 7440-44-0	Combustible Dust
Pigment Black 7	77266	215-609-9	1333-86-4	Combustible Dust
Pigment Red 170	12475/ 12475:1	220-509-3	2786-76-7	Not Classified
Pigment Red 179	71130	220-509-4	5521-31-3	Not Classified
INGREDIENT	C.I. NUMBER	EINECS No.	CAS No.	GHS HAZARD



Pigment Red 254	56110	401-504-3/ 402-400-4	122390-98-1/ 84632-65-5	Not Classified
Pigment Yellow 120	11783	249-955-7	29920-31-8	Not Classified
Pigment Yellow 138	56300	250-063-5	30125-47-4	Not Classified
Pigment Yellow 139	56298	253-256-2	36888-99-0	Not Classified
Pigment Yellow 154	11781	268-734-6	68134-22-5	Not Classified
Pigment Yellow 155	200310	271-176-6	68516-73-4/ 77465-46-4	Not Classified
Pigment Yellow 183	18792	265-634-4	65212-77-3	Not Classified
Pigment White 6; Titanium Dioxide	77891	236-675-5	13463-67-1	Not Classified

## SECTIONS 4: FIRST-AID MEASURES

<b>Description of Necessary First Aid Measures After Inhalation:</b>	Move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>Description of Necessary First Aid Measures Skin Contact:</b>	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If there is any irritation, consult a physician
<b>Description of Necessary First Aid Measures Eye Contact:</b>	Rinse opened eye thoroughly for several minutes under running water. Consult a physician.
<b>Description of Necessary First Aid Measures After Ingestion:</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. None determined. See SECTION 2.2 and SECTION 11 for more information.
<b>Most Important Symptoms/Effects, Acute and Delayed:</b>	
<b>Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary:</b>	No known special indications. When seeking medical attention in relation to the product, bring this SDS to the physician. No further relevant information available

## SECTIONS 5: FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media:</b>	Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
<b>Inappropriate Extinguishing Media:</b>	No further relevant information.
<b>Specific Hazard Arising from the Mixture:</b>	Carbon oxides.
<b>Specific Protective Actions for Fire-Fighters:</b>	Wear self-contained respiratory protection device.

## SECTIONS 6: ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions, Protective Equipment, and Emergency Procedures:</b>	Ensure adequate ventilation. Avoid breathing vapors. Wear appropriate personal protective equipment. See SECTION 2 for a list of relevant precautionary phrases. See SECTION 8 for personal protective equipment.
<b>Environmental Precautions:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains/sewers/surface or groundwater.
<b>Methods and Materials for Containment and Cleaning Up:</b>	Contain spillage. Ensure adequate ventilation. Absorb large spills with liquid-binding material (sand, diatomite, universal binder, sawdust) and place in an appropriate container. Place container for disposal according to local regulations. Clean area before returning. see SECTION 13 for disposal considerations



## SECTIONS 7: HANDLING AND STORAGE

**Precautions for Safe Handling:** Eating, drinking, and smoking in the work area is prohibited. Wash hands after use. Remove contaminated clothing and protective equipment before entering the eating area. Avoid contact with skin or eyes. Avoid inhalation of vapor or mist. See SECTION 2 for full list of GHS precautionary statements.

**Precautions for Safe Storage, Including Any Incompatibilities:** Store in the original container. Keep the container tightly closed in a well-ventilated place. Containers once opened must be carefully resealed and kept upright to prevent leakage. Do not fill the container with anything. Do not pour material back into the container after dispensing. No recommended storage temperature for the mixture but avoid excesses in temperature and store at room temperature when feasible.

## SECTIONS 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** Contains no components with occupational control parameters.

**Exposure Controls:**

**Appropriate Engineering Controls:** Handle in accordance with good manufacturing practices. Wash hands before break and at the end of workday.

**Personal Protective Equipment  
Eye/Face Protection:**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

**Personal Protective Equipment  
Skin Protection:**

Handle with gloves. Suitable gloves include latex, nitrile, butyl rubber, neoprene, norfoil, and viton, depending on extent of contact. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with the product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Personal Protective Equipment  
Body Protection:**

Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the workplace.

**Personal Protective Equipment  
Respiratory Protection:**

When risk-assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of Environmental Exposure:** Prevent further leakage or spillage if safe and feasible to do so. Do not let product enter the drains. Discharge into the environment should be avoided.

## SECTIONS 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored Liquid

**Odor:** No data available

**Odor threshold:** No data available

**pH:** No data available

**Melting Point/ Freezing Point:** No data available



<b>Initial Boiling Point/ Boiling Range:</b>	No data available
<b>Flash Point:</b>	No data available
<b>Evaporation Rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper/Lower Flammability or Explosive Limits:</b>	No data available
<b>Vapor Pressure:</b>	No data available
<b>Vapor Density:</b>	No data available
<b>Relative Density:</b>	No data available
<b>Water Solubility:</b>	No data available
<b>Partial Coefficient, n-Octanol/water:</b>	No data available
<b>Auto-ignition Temperature:</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Viscosity:</b>	No data available
<b>Explosive Properties:</b>	No data available
<b>Oxidizing Properties:</b>	No data available

## SECTIONS 10: STABILITY AND REACTIVITY

<b>Reactivity:</b>	No data available
<b>Chemical Stability:</b>	Stable under normal storage conditions
<b>Possibility of Hazardous Reactions:</b>	No data available
<b>Conditions to Avoid:</b>	Extreme temperatures, flames, sparks
<b>Incompatible Materials:</b>	Strong oxidizing agents, chlorates, nitrates
<b>Hazardous Decomposition Products:</b>	No data available. In the event of fire see SECTION 5.

## SECTIONS 11: TOXICOLOGY INFORMATION

### ACUTE TOXICITY

<b>MIXTURE:</b>	No data available
<b>COMPONENTS:</b>	Ethanol AKA Ethyl Alcohol CAS 64-17-5 LD50 Oral – Rat – 10,470 mg/kg LD50 Inhalation – Rat – 4h - vapor – Rabbit – 124.7 mg/l Pigment White 6; Titanium Dioxide CAS 13463-67-7 LD50 Oral – Rat - > 10,000 mg/kg LD50 Dermal – Rabbit - > 10,000 mg/kg Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer LD50 Oral – Rat – 100,000 mg/kg Glycerin; Glycerol CAS 56-81-5 LD50 Oral – Rat – 12,600 mg/kg LD50 Dermal – Rabbit - > 10,000 mg/kg

### SKIN CORROSION/IRRITATION

<b>MIXTURE:</b>	No data available
<b>COMPONENTS:</b>	Ethanol AKA Ethyl Alcohol CAS 64-17-5 Skin – Rabbit – No skin irritation Pigment White 6; Titanium Dioxide CAS 13463-67-7 Skin – Human – Mild skin irritation – 3 h Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer Skin – Rabbit – No skin irritation Glycerin; Glycerol CAS 56-81-5 Skin – Rabbit – Mild skin irritant – 24 h

### SERIOUS EYE DAMAGE/EYE IRRITATION

<b>MIXTURE:</b>	No data available
	Ethanol AKA Ethyl Alcohol CAS 64-17-5 Eye – Rabbit – Eye irritation – 24 h Pigment White 6; Titanium Dioxide CAS 13463-67-7 Eyes – Rabbit – No eye irritation Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer Eyes – Rabbit – No eye irritation



Glycerin; Glycerol  
Eyes – Rabbit – No eye irritation (OECD Test Guideline 405)

#### RESPIRATORY/SKIN SENSITIZATION

**MIXTURE:** No data available  
**COMPONENTS:** Polyvinylpyrrolidone  
Will not occur

#### GERM CELL MUTAGENICITY

**MIXTURE:** No data available  
**COMPONENTS:** No data available

#### CARCINOGENICITY

RTECS – Titanium dioxide - Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors, Shown in Rat (inhalation). Neoplastic by RTECS criteria. Lymphomas including Hodgkin's disease, Tumors at site of application, Shown in Rat (intramuscular).

IARC – No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH – No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the American Conference of Governmental Industrial Hygienists (ACGIH).

NTP EU – No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the US National Toxicology Program (NTP).

OSHA - No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the US Occupational Safety and Health Administration (OSHA).

EU - No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the European Union (EU).

#### REPRODUCTIVE TOXICITY

**MIXTURE:** No data available  
**COMPONENTS:** No data available

#### SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

**MIXTURE:** No data available  
**COMPONENTS:** No data available

#### SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

**MIXTURE:** No data available  
**COMPONENTS:** No data available

#### ASPIRATION HAZARD

**MIXTURE:** No data available  
**COMPONENTS:** No data available  
**ADDITIONAL INFORMATION:** No data available

## SECTIONS 12: ECOLOGICAL INFORMATION

**TOXICITY:** No data available  
**PERSISTENCE AND DEGRADABILITY:** No data available  
**BIOACCUMULATION:** No data available  
**MOBILITY ON SOIL:** No data available  
**RESULTS of PBT and vPvB ASSESSMENT:** No data available  
**OTHER ADVERSE EFFECTS:** No data available

## SECTIONS 13: DISPOSAL CONSIDERATIONS

**WASTE TREATMENT METHOD – PRODUCT:** Dispose of product according to local regulations. In most areas this product can be disposed of with normal waste.  
**WASTE TREATMENT METHOD –**



**CONTAMINATED PACKAGING:** Dispose of as unused product

## SECTIONS 14: TRANSPORT INFORMATION

**DOT (US):** Not a dangerous good  
**IMDG (Maritime dangerous goods):** Not a dangerous good  
**IATA (International air):** Not a dangerous good  
**ICAO-TI:** Not a dangerous good  
**GEIPOT (Brazil):** Not a dangerous good  
**TDG (Canada):** Not a dangerous good  
**RID, ADR, ADNR (Europe):** Not a dangerous good  
**GGVS and GGVE:** Not a dangerous good

## SECTIONS 15: REGULATORY INFORMATION

**SARA 302 COMPONENTS:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 COMPONENTS:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

**SARA 311/312 HAZARDS:** There are no hazards that require reporting under SARA Title III Sections 311 and 312.

### Massachusetts Right to Know Components:

Substance	CAS Number
Ethyl Alcohol; Ethanol	CAS 64-17-5
Glycerin; Glycerol	CAS 56-81-5
Carbon Black; Pigment Black 7; D&C Black No. 2	CAS 1333-86-4/ 7440-44-0

### Pennsylvania Right to Know Components:

Substance	CAS Number
Ethyl Alcohol; Ethanol	CAS 64-17-5
Glycerin; Glycerol	CAS 56-81-5
Water	CAS 7732-18-5
Carbon Black; Pigment Black 7; D&C Black No. 2	CAS 1333-86-4/ 7440-44-0
Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer	CAS 9003-39-8

### New Jersey Right to Know Components:

	Substance	CAS Number
3319	Glycerin; 1,2,3-propanetriol; Glycerol	CAS 56-81-5
0342	Carbon Black; Pigment Black 7; D&C Black No. 2	CAS 1333-86-4/ 7440-44-0
0844	Ethyl Alcohol; Ethanol	CAS 64-17-5

### California Proposition 65 Warning Components:

Substance	CAS Number
Pigment White 6; Titanium Dioxide	CAS 13463-67-7



## SECTIONS 16: OTHER INFORMATION

### COPYRIGHT



Li Pigments  
333 South Dean Street  
Englewood, NJ 07631 USA

[www.LiPigments.com](http://www.LiPigments.com)

© Copyright 2022 Li Pigments, all rights reserved.

### ATTENTION

Reproductions of these materials can be made as desired, but under no circumstances should they be altered or sold. The information provided in this document is based on our research in the permanent cosmetic industry and is believed to be accurate but may not be all-inclusive. Information provided by Li Pigments is for educational purposes and is not intended as a substitute for professional training or medical advice. We provide product information and other documents for free on our website [www.LiPigments.com](http://www.LiPigments.com) with no purchase necessary.

Li Pigments & affiliates shall not be held responsible for any illness or injury that may occur while using these products, nor be held liable for any damages resulting from handling or use of products.

**INFORMATION PREPARED BY LI PIGMENTS QUALITY ASSURANCE DEPARTMENT**

Latest Revision: 2022-01-23